

Digital Library

Environmental Weed Risk Assessments

Biosecurity, pests, weeds and diseases research

2022

Echinochloa esculenta - environmental weed risk assessment 2022

Department of Primary Industries and Regional Development, Western Australia

Follow this and additional works at: https://library.dpird.wa.gov.au/bs_wra

Part of the Biosecurity Commons, and the Weed Science Commons

Recommended Citation

Department of Primary Industries and Regional Development, Western Australia. (2022), *Echinochloa esculenta - environmental weed risk assessment 2022*. Department of Primary Industries and Regional Development, Western Australia, Perth. Report. https://library.dpird.wa.gov.au/bs_wra/38

This report is brought to you for free and open access by the Biosecurity, pests, weeds and diseases research at Digital Library. It has been accepted for inclusion in Environmental Weed Risk Assessments by an authorized administrator of Digital Library. For more information, please contact library@dpird.wa.gov.au.



Department of Primary Industries and Regional Development

Environmental weed risk assessment

Japanese millet (*Echinochloa esculenta*)

Japanese millet is a tall, fast-growing annual summer crop that has been domesticated since 2000BC from Japan. It has been cultivated both for human consumption and as a fodder by tribal communities in Asia including in India, Japan, and China (Sood *et al.* 2015).

Japanese (Shirohie) millet is a dual-purpose millet (grain and grazing), although generally grown for only one use to maximise production. It is a temperate grass that tolerates relatively cool soil temperatures for germination (14°C) compared with other species of millet (Hills and Penny 2005). In south-western Australia Japanese millet is a minor fodder crop sown in late winter-spring when seasonal conditions are favourable to provide green feed in late spring and over summer.

Japanese millet has not been evaluated under irrigation in northern Western Australia (WA), as the focus has been on pearl millet which is more drought and heat tolerant.

Weed lists

National-international:

- Not listed in Weeds of Australia (398 weed species) <u>https://weeds.org.au/weeds-profiles/</u>
- Not listed in Weeds of Australia website Fact sheet Index (lucidcentral.org)
- In the Global Compendium of Weeds, Japanese millet is listed as an agricultural weed, casual alien, environmental weed, naturalised, weed (Randall 2017).

Western Australia:

- "....It has been collected occasionally in parts of Kimberley; also encountered occasionally in the lower south-west" (Hussey et al. 2007).
- Recorded as naturalised in the following IBRA Regions of WA Victoria Bonaparte and Dampier land (Keighery and Longman 2004).
- Not listed in Environmental weeds of Western Australia (Keighery 1991).



Figure 1. Distribution of Japanese millet (*Echinochloa esculenta*) in Australia (Source: 'The Australasian Virtual Herbarium')

Environmental weed risk assessment

Assessed using the 'Environmental weed risk assessment protocol for growing non-indigenous plants in the Western Australian rangelands' (Moore et al. 2022)

Region	Filter A	Filter B	Weed Risk Assessment rating
	Is the species a weed in similar environments in Australia or overseas?	Is the species likely to persist in the environment without management*?	
Kimberley	No	No	Negligible to low
Pilbara	No	No	Negligible to low
Gascoyne – Goldfields	No	No	Negligible to low
Agricultural area	No	No	Negligible to low

*Without management means no fertiliser, Rhizobia, irrigation, grazing management or control of competition from other species

References

- Hills A, Penny S (2005) Guide to growing summer grain and forages in the south coast region, Western Australia. Department of Primary Industries and Regional Development, Western Australia, Perth. Report 20/04.
- Hussey BMJ, Keighery GJ, Dodd J, Lloyd SG, Cousens RD (2007) 'Western weeds. A guide to the weeds of Western Australia'. Second Edition. The Weeds Society of Western Australia Inc.
- Keighery GJ (1991) Environmental weeds of Western Australia. Kowari, 2: 180-188.
- Keighery G, Longman V (2004) The naturalized vascular plants of Western Australia 1: Checklist, environmental weeds and distribution in IBRA regions. *Plant Protection Quarterly*, **19(1):** 12-32.
- Moore G, Munday C, Barua P (2022) 'Environmental weed risk assessment protocol for growing nonindigenous plants in the Western Australian rangelands', Department of Primary Industries and Regional Development, *Bulletin no. 4924*, Perth.

Randall RP (2017) 'Global compendium of weeds' (No. Ed. 3).

Sood S, Khulbe RK, Gupta AK, Agrawal PK, Upadhyaya HD, Bhatt JC (2015) Barnyard millet - A potential food and feed crop of future. *Plant Breeding* **134**: 135–147.

Weeds of Australia database

https://keyserver.lucidcentral.org/weeds/data/media/Html/trifolium_repens.htm Site accessed 30 November 2021

Assessment by G Moore and N Nazeri January 2022

Important disclaimer

The Chief Executive Officer of the Department of Primary Industries and Regional Development and the State of Western Australia accept no liability whatsoever by reason of negligence or otherwise arising from the use or release of this information or any part of it.

Copyright © Department of Primary Industries and Regional Development, 2022