



Department of  
Primary Industries and  
Regional Development

Digital Library

---

Experimental Summaries - Plant Research

Agriculture

---

1987

## Selection of sub clover cultivars - early maturing.

Department of Agriculture, Western Australia.

Follow this and additional works at: <https://library.dpird.wa.gov.au/rqmsplant>

 Part of the [Agronomy and Crop Sciences Commons](#), and the [Weed Science Commons](#)

---

### Recommended Citation

Department of Agriculture, Western Australia.. (1987), *Selection of sub clover cultivars - early maturing..*  
Department of Primary Industries and Regional Development, Western Australia, Perth. Report.

This report is brought to you for free and open access by the Agriculture at Digital Library. It has been accepted for inclusion in Experimental Summaries - Plant Research by an authorized administrator of Digital Library. For more information, please contact [library@dpird.wa.gov.au](mailto:library@dpird.wa.gov.au).

Trial: 87WH50/4534EX

Title: Selection of subclover cultivars - early maturing

Aim: To select in the field subterranean clover cultivars of early maturity having superior persistence and productivity.

Location: Wongan Hills Research Station, Paddock 2EE

Details: 23 lines selected from the NSCIP, 4 clover cultivars, 1 medic cultivar, 2 nil, 4 replicates. Plots 5 m x 2.5 m.  
Old land, Wongan loamy sand.  
Sown 21/4, clover 15 kg/ha, medic 12 kg/ha, handbroadcast, harrowed. Medic IP.  
200 kg/ha super, Cu, Zn, Mo + 50 kg/ha KCl. Some hand weeding of capeweed, doublegee.

Results: Legume plant establishment, no/sqm, 26/6.  
Seed yield, kg/ha, 18/11.

Comments:

1. Germination delayed because of dry conditions.
2. Establishment density averaged 114 plants/sqm - about 30% below expected level. Density of medic only about 50% that of the clover.
3. While seed yields were low Dalkeith again produced the highest quantity (235 kg/ha). The yield of Santiago burr medic seed was relatively good (170 kg/ha) taking into account the seasonal conditions.

Table 2. 87WH50 production measurements - 1987

Line	Plants no. sqm.	Clover seed	Medic seed
Nungarin	135	179	0
Northam	118	97	0
Geraldton	106	111	0
Dalkeith	75	235	0
70119	134	86	0
83994B	131	98	0
69S26-112-2	129	36	0
69S30-5-4-1	130	78	1
69S32-119-2	106	33	0
75S05-22-3	106	115	0
75S05-108	109	75	0
75S08-104	95	125	3
76S16-9-4-3	179	37	0
76S16-9-5-1-4	117	35	0
76S16-9-5-3-1	108	36	0
76S16-9-5-4-1	118	78	0
76S16-9-5-6-1	117	66	0
76S27-107-2	114	105	0
76S31-108-2	119	100	0
76S32-1-4-1	139	100	3
76S32-1-6-2	97	78	0
76S32-2-4-1	97	86	0
76S32-2-4-2	103	88	0
76S32-122-3	97	195	2
76S32-123-3	86	168	0
HD20-1-2	120	131	0
8B40-2-1-1	157	70	0
Santiago	54	9	168
Nil	11	18	0
Av. sown treatments	114	94	168